

## PRODUCT INFORMATION SHEET

# Olympus DS-3300 Professional Digital Recorder

© 2005 All Rights Reserved – HTH Engineering, Inc. Tarpon Springs, FL 34688 TEL: (727) 939-8853 <http://www.StartStop.com>

The **DS3300** frees you from the necessity of taking written notes, leaving you to concentrate completely on what is being said. **An excellent dictation recorder**, brand new from Olympus (replaces the flagship DS-3000 Digital Recorder). Guaranteed to catch every word – no matter whether you are at a meeting, a seminar or an out-of-town assignment – recordings can be saved in up to seven different folders holding 199 entries each for easy file management. PC and Macintosh compatibility give this **compact and robust, metal-bodied digital voice recorder** an additional edge. Together with the user-friendly DSS Player Pro software, it enables professional users to streamline workflow further to enhance business effectiveness. Moreover, a handy customizable button for instant access to a user-defined feature and **one thumb operation** make this model a pleasure to use.

**Large Back-lit LCD Display**

**Light and Compact**

**Five Folder Storage**

**High Quality Recording**

**Over 11 hours of recording time!**

**Toll Free Tech Support Included!**



Transcribe your Olympus DSS files with The Start Stop Universal Transcription System. Check it out at <http://www.StartStop.com/sst2.asp>

## HTH ENGINEERING, INC.

Tarpon Springs, FL 34688  
Web: <http://www.StartStop.com>  
Email: [Webmaster@StartStop.com](mailto:Webmaster@StartStop.com)  
Call: (866) 254-0714 (toll free)  
Fax: (810) 821-6940

**OLYMPUS**  
PROFESSIONAL LINE  
Authorized Dealer


### Features

#### Includes

Includes DS-3300 Digital Voice Recorder, 32MB xD-Picture Card(TM) removable media, Multi-function cradle/docking station, DSS Player Pro Dictation software, USB Cable, Case, User manual and 1 year warranty plus Tech Support

#### Recording Capacity

Standard 32 MB memory card records for up to 11 hours (5.5 hours in high-quality mode). Compatible with 32, 128 256 and 512 MB XD™ memory cards for up to 179 hours of recording time



## PRODUCT INFORMATION SHEET

# Olympus DS-3300 Professional Digital Recorder

© 2005 All Rights Reserved – HTH Engineering, Inc. Tarpon Springs, FL 34688 TEL: (727) 939-8853 <http://www.StartStop.com>

### FEATURES



**Durable leather carrying case keeps recorder protected while out of use**



**Large Back-lit LCD Display is easy to read- even in bright light**



**Dual Function cradle: Provides for fast and easy uploading/downloading off data to PC. With optional Rechargeable NiMH Battery Pack and D7-AC charger, cradle will also recharge unit.**



**Over 11 hours of recording time on 32MB xD Picture Card (Max 179 hours 30 min on optional 512 MB card)**



**Handy customizable button for instant access by thumb operation**

<b>Recording Format</b>	DSS (Digital Speech Standard)
<b>Recording Media</b>	xD-Picture Card: 32 to 512MB
<b>Recording Time</b>	With included 32MB card: SP mode: 5 hours, 10 minutes LP mode: 11 hours, 5 minutes
<b>Input Level</b>	-70 dBv
<b>LCD</b>	Yes
<b>LED</b>	Yes
<b>Folders Messages</b>	1 to 7 folders/199 messages per folder
<b>Sampling Frequency</b>	SP mode: 12 kHz LP mode: 8 kHz
<b>Overall Frequency Response</b>	SP mode: 300 to 5,000 Hz LP mode: 300 to 3,000 Hz
<b>LP Mode</b>	Yes
<b>Voice Activation</b>	Yes
<b>Practical Maximum Output</b>	180 mW or more
<b>Write Protection</b>	No
<b>Speaker</b>	Built-in 28 mm round dynamic speaker
<b>Microphone Jack</b>	3.5 mm mini-jack, impedance 2 k W
<b>Earphone Jack</b>	3.5mm mini-jack, impedance EAR 8 or more
<b>Power Supply</b>	Rated voltage: 3 V DC.
<b>OS Supported</b>	Windows: Microsoft, Windows 98/98SE/Me/2000 Professional/XP Professional, Home Edition, Mac: Mac OS 9.0 - 9.2.2/10.1 - 10.3
<b>CPU</b>	Windows: Intel Pentium II class 333 MHz processor or faster (Processor 500 MHz or faster is recommended)
<b>RAM</b>	Windows: 64MB or more (recommend 128MB or more), Mac: 64MB or more (128MB or more is recommended)
<b>Size</b>	110.2 x 50.0 x 16.9 mm (without protrusions)
<b>Weight</b>	101 g (including alkaline batteries)



## PRODUCT INFORMATION SHEET

# Olympus DS-3300 Professional Digital Recorder

© 2005 All Rights Reserved – HTH Engineering, Inc. Tarpon Springs, FL 34688 TEL: (727) 939-8853 <http://www.StartStop.com>

## Features and Benefits

- **xD Removable Media Dictation Device** Record up to eleven hours- just select LP mode with the supplied 32 MB xD-Picture Card.
- **Variable Control Voice Actuator (VCVA)** You won't miss a thing when you use this voice-activated feature and record only when sound is sensed- conserving memory, as well.
- **PC Link with USB Cable** Connect to your PC to download – and put your recordings to work. Transcribe, edit, e-mail or store them.
- **Large Back-lit LCD Display** This ample, full-dot, back-lit LCD is easy to read-so you can monitor file information, recording time and more-even in bright light.
- **DSS Player Software Keeps You in Control** Save files in high-compression DSS format for easy and efficient downloading, organizing and filing on your PC.
- **Generous Five-Folder Storage** Each of five storage folders are yours to customize by subject, date or however you decide.
- **Simple File Management** Erase individual files or an entire folder
- **“Conference” and “Dictation” Settings** Change settings the moment your needs change.
- **Two Recording Modes** For standard quality, choose SP mode. For extended use, choose LP mode.
- **File-to-File Speed Function** Finish one dictation and begin the next by pressing the 'new' button.
- **Index Marks** Insert index marks during recording or playback, so you can easily return.
- **Efficient Power Consumption** Two AAA batteries provide up to 20 hours of continuous operation.
- **Light and Compact** Weighs just 3.6 ounces (including the battery).

## HTH ENGINEERING, INC.

Tarpon Springs, FL 34688

Web: <http://www.StartStop.com>

Email: [Webmaster@StartStop.com](mailto:Webmaster@StartStop.com)

Call: (866) 254-0714 (toll free)

Fax: (810) 821-6940